

according to Regulation (EC) No 1907/2006

mega Model Resin NF

Revision date: 10.06.2016

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

mega Model Resin NF/ M+W Poly Resin UFI: RAN1-5RA4-K603-0QT9 Product group: Powder

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Dental aid

1.3. Details of the supplier of the safety data sheet

Company name:	megadental GmbH
Street:	Seeweg 20
Place:	D-63654 Büdingen
Telephone:	+49 (0) 6042-9755-0
e-mail:	info@megadental.de
Contact person:	Murat Büyük
e-mail:	info@megadental.de
	www.megadental.de

Telefax: +49 (0) 6042-9755-20

Vertrieben durch:

M+W Dental, Müller & Weygandt GmbH, Reichardsweide 40, 63654 Büdingen

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling dibenzoyl peroxide; benzoyl peroxide

Signal word: Warning

Pictograms:



Hazard statements

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Contains: Methyl methacrylate Organic peroxides. May produce an allergic reaction.

according to Regulation (EC) No 1907/2006

mega Model Resin NF

Revision date: 10.06.2016

Page 2 of 7

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture on base of acrylic powder and catalyst.

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
	Acrylic polymer			95 - <= 100 %	
94-36-0	dibenzoyl peroxide; ben	dibenzoyl peroxide; benzoyl peroxide			
	202-327-6				
Org. Perox. B, Eye Irrit. 2, Skin Sens. 1; H241 H319 H317			7		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable.

according to Regulation (EC) No 1907/2006

mega Model Resin NF

Revision date: 10.06.2016

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eves and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

Dental aid.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection.

Page 3 of 7

according to Regulation (EC) No 1907/2006

mega Model Resin NF

Revision date: 10.06.2016

Page 4 of 7

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Powder See packaging
Odour:	characteristic
pH-Value:	not determined
Changes in the physical state	
Melting point:	ca. 110 °C
Initial boiling point and boiling range:	not determined
Flash point:	> 250 °C
Flammability	
Solid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	> 400 °C
Auto-ignition temperature	
Solid: Gas:	not determined not applicable
Decomposition temperature:	not determined
Oxidizing properties Not oxidising.	
Vapour pressure:	not determined
Density (at 20 °C):	1,16 g/cm³
Bulk density (at 20 °C):	700 - 750 kg/m³
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents	
Soluble in hydrocarbons.	
Partition coefficient:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
9.2. Other information	
Solid content:	100 %

according to Regulation (EC) No 1907/2006

mega Model Resin NF

Revision date: 10.06.2016

Page 5 of 7

SECTION 10: Stability and reactivity

10.1. Reactivity

oxidising0 Oxidising.

10.2. Chemical stability

May cause decomposition by long-term light influence.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Combustible substance0 Alkali metals0 Alkaline earth metal0 Heavy metals0 Metal powder0 Acid0 Base.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from combustible material.

10.6. Hazardous decomposition products

Formation of: Oxygen. Exothermal decomposition with formation of: Methyl methacrylate

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

The product has not been tested.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (dibenzoyl peroxide; benzoyl peroxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

according to Regulation (EC) No 1907/2006

mega Model Resin NF

Revision date: 10.06.2016

Page 6 of 7

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Inland waterways transport (ADN)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
14.6. Special precautions for user No information available.			
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code not applicable			
SECTION 15: Regulatory information			

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No 1907/2006

mega Model Resin NF

Revision date: 10.06.2016

Page 7 of 7

EU regulatory information

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions.	
Water contaminating class (D):	
Skin resorption/Sensitization:	

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 2 - clearly water contaminating Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

Heating may cause a fire or explosion. May cause an allergic skin reaction. Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)